


GEMINI

COOKIE DEPOSITOR

MIMAC



MIMAC
PART OF TP FOOD GROUP






GEMINI

Dosatrice a doppia testata per il dosaggio di prodotti bicolore di diverse forme e combinazioni.

Dosing machine with double head for depositing two-colour products of different shapes and combinations.


Dresseuse avec tête double pour le dosage de produits bicolores de différentes formes et combinaisons.

Dosificadora equipada con doble cabezal para dosificar productos bicolor de diferentes formas y combinaciones.



DATI TECNICI - TECHNICAL DATA - DONNÉES TECHNIQUES - DATOS TÉCNICOS

Peso - Weight - Poids - Peso	480 kg
Larghezza teglie - Trays width Largeur plaques - Ancho de bandejas	600 x 800 mm
Capacità tramoggia - Hopper capacity Capacité de la trémie - Capacidad de la tolva	2x40 lt.
Corsa massima - Maximum stroke Course maximale - Carrera máxima	88 mm
Alimentazione - Power supply Alimentation - Alimentación eléctrica	230 V - 50/60 Hz - 1ph
Potenza installata - Installed power Puissance installée - Potencia instalada	1,5 kW



Gruppo di dosaggio a due colori
Double-colour dosing unit
Groupe de dosage à deux couleurs
Grupo de dosificación de dos colores



OPZIONE - OPTION
OPTION - OPCIÓN

Carrello supporto testata doppia
Support trolley for double-head
Chariot de support de la tête double
Mesa de soporte del doble cabezal



MIMAC

PART OF TP FOOD GROUP

MIMAC ITALIA srl Unipersonale

Via dell'Industria 22

36013 **PIOVENE ROCCHETTE**

(VI) Italy

T +39 0445 576 250

www.mimac.com - info@mimac.com



TECNOPOOL
PART OF TP FOOD GROUP



GOSTOL
PART OF TP FOOD GROUP



TECNOFRYER
PART OF TP FOOD GROUP



LOGIUDICE
PART OF TP FOOD GROUP



MIMAC
PART OF TP FOOD GROUP



MECATECK
PART OF TP FOOD GROUP

www.tpfoodgroup.com

MIMAC ITALIA srl Unipersonale

si riserva il diritto di apportare eventuali modifiche tecniche e costruttive
reserves the right to make any technical and constructive changes
se réserve le droit de faire des modifications techniques et constructives
se reserva la facultad de aportar eventuales modificaciones técnicas y constructivas